





**SUNSTRIP
140
MARINE**




- Natural light spectrum
- Suitable for all marine aquariums
- Appealing, lean aluminum design
- Actinic spectrum


PRODUCT ADVANTAGES

- Polycarbonate (PC) coverage
- Environmental friendly due to the use of ecological material
- Secure operation with low-voltage technology
- Low heat development
- Available in various length and power ratings
- Various installations by optional SunStrip connectsystem

ENERGY EFFICIENCY



6-Pin-CONNECTOR



SunStrip 140 Marine



| Technical data: Solar Stinger® SunStrip 140 Marine | | | |
|--|-----------------------|-------------------------------|------------------------------|
| Driver: | DRV | Environment temperature: | -10°C/14°F up to +40°C/104°F |
| Operating Voltage: | 24 V | Nominal lifespan (25°C/77°F): | > 25,000 hours |
| Mains frequency: | - | Energy efficiency class: | A |
| LED Producer: | 3030/Cree, 5050, 2835 | Coverage: | PMMA |
| Dimmable: | Yes/CON | Product color: | Silver |
| Light control: | 120° | Housing: | Aluminum |
| Protection type: | IP67 | Certificate /Norm: | CE/RoHS |

Solar Stinger® SunStrip 140 Marine

| Item | Item-No.: | Size in mm/in: L x W x H | Color temperature | Luminous flux | Input power | Weight (kg)/(lb) |
|----------------------|-----------|----------------------------|----------------------|---------------|-------------|------------------|
| 300mm/11,81in / 42W | 00011526 | 300/11,81x150/5,91x29/1,14 | 25000 K / Adjustable | 1430 lm | 42 Watt | 0,900/1,98 |
| 450mm/17,72in / 63W | 00011527 | 450/17,72x150/5,91x29/1,14 | 25000 K / Adjustable | 2600 lm | 63 Watt | 1,300/2,87 |
| 600mm/23,62in / 84W | 00011528 | 600/23,62x150/5,91x29/1,14 | 25000 K / Adjustable | 2748 lm | 84 Watt | 1,700/3,75 |
| 900mm/35,43in / 126W | 00011529 | 900/35,43x150/5,91x29/1,14 | 25000 K / Adjustable | 4179 lm | 117,2 Watt | 2,500/5,51 |

Scope of delivery 1x LED strip, cable length 1,9m/74,80in

| Item | LED quantity | Input power |
|----------------------|--|-------------|
| 300mm/11,81in / 42W | 18x 6500K, 18x RGB, 4x 400nm, 4x 420nm, 5x 440nm, 5x 460nm | 42 Watt |
| 450mm/17,72in / 63W | 36x 6500K, 18x RGB, 4x 400nm, 4x 420nm, 5x 440nm, 5x 460nm | 63 Watt |
| 600mm/23,62in / 84W | 36x 6500K, 36x RGB, 9x 400nm, 9x 420nm, 9x 440nm, 9x 460nm | 84 Watt |
| 900mm/35,43in / 126W | 54x 6500K, 54x RGB, 14x 400nm, 13x 420nm, 13x 440nm, 14x 460nm | 117,2 Watt |

Stand: 07-2016 - V.1.1 | Subject and omissions expected. | Subject to the general terms and conditions of INLEDCO USA.



SunStrip 140 Marine



Solar Stinger® SunStrip 140 Marine Compatability

| Item-No.: | 300mm/23,62in / 42W | 450mm/17,72in / 63W | 600mm/23,62in / 84W | 900mm/35,43in / 126W |
|-----------|---------------------|--|--|---|
| 00011549 | ≥ DRV60 | | Item-No.: 00011633 - ≥ DRV90 | 00011551 - ≥ DRV180 |
| 00011553 | | | DRV Y-Cable | |
| 00011959 | | | 4x Y-Cable | |
| 00011567 | | | SunStrip Bridge Clip | |
| 00012159 | | | Rotator | |
| 00011638 | | | SunStrip T5 FlexHolder Set | |
| 00011639 | | | SunStrip T8 FlexHolder Set | |
| 00011568 | | | SunStrip TopRail 300 Set | |
| 00011637 | | | SunStrip TopRail 500 Set | |
| 00011569 | | | SunStrip CeilingRope Set | |
| 00010250 | | | SunStrip Z-Holder | |
| 00010251 | | | SunStrip FlatHolder | |
| 00010252 | | | SunStrip BridgeHolder | |
| 00010253 | | | SunStrip T5-Holder | |
| 00010254 | | | SunStrip T8-Holder | |
| 00010431 | | | SunStrip PlateHolder | |
| 00010514 | | | SunStrip ConnectorPlate | |
| | | | Item-No.: 00010620 SolarStinger® SunStrip Cover EHEIM/MP® 800mm/31,49in | Item-No.: 00010619 SolarStinger® SunStrip Cover EHEIM/MP® 1000mm/39,37in |
| | | Item-No.: 00011576 SolarStinger® SunStrip Cover JUWEL® 550mm/21,65in Item-No.: 00011577 SolarStinger® SunStrip Cover JUWEL® 600mm/23,62in | Item-No.: 00011578 SolarStinger® SunStrip Cover JUWEL® 700mm/27,55in Item-No.: 00011579 SolarStinger® SunStrip Cover JUWEL® 800mm/31,49in | Item-No.: 00011580 SolarStinger® SunStrip Cover JUWEL® 920mm/36,22in Item-No.: 00011581 SolarStinger® SunStrip Cover JUWEL® 1000mm/39,37in |
| 00011561 | | | CON1 | |
| 00011562 | | | CON2 | |
| 00012160 | | | CON3 | |

| Light spectrum | LED channels | SunStrip 140 Marine - side view |
|----------------|--------------|---------------------------------|
| | | |

| 300mm/11,81in / 42 W | 450mm/17,72in / 63 W | 600mm/23,62in / 84 W | 900mm/35,43in / 126 W |
|---|--|---|--|
| 10 cm / 3,94 in — 30300 lux / 780 Par 15 cm / 5,91 in — 15130 lux / 408 Par 30 cm / 11,81 in — 5120 lux / 162 Par 60 cm / 23,62 in — 1950 lux / 64 Par | 10 cm / 3,94 in — 36200 lux / 795 Par 15 cm / 5,91 in — 24400 lux / 476 Par 30 cm / 11,81 in — 10250 lux / 211 Par 60 cm / 23,62 in — 3421 lux / 71 Par | 10 cm / 3,94 in — 37500 lux / 810 Par 15 cm / 5,91 in — 18350 lux / 465 Par 30 cm / 11,81 in — 7820 lux / 201 Par 60 cm / 23,62 in — 3630 lux / 67 Par | 10 cm / 3,94 in — 40800 lux / 920 Par 15 cm / 5,91 in — 28600 lux / 510 Par 30 cm / 11,81 in — 11400 lux / 224 Par 60 cm / 23,62 in — 3980 lux / 87 Par |

Stand: 07-2016 - V.1.1 | Subject and omissions expected. | Subject to the general terms and conditions of INLEDco USA.

